

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Gintung Energy Corporation

Address: No.98, Ronggong S. Rd., Guanyin Township, Taoyuan County, 328

Country: Taiwan

Contact: Cindy Chen

Phone: 886-3-4160222

FAX: 886-3-4707427

Email: cindy_chen@gtectw.com

Manufacturer: Gintung Energy Corporation

Address: No.98, Ronggong S. Rd., Guanyin Township, Taoyuan County, 328

Country: Taiwan

Contact: Cindy Chen


Phone: 886-3-4160222

FAX: 886-3-4707427

Email: cindy_chen@gtectw.com

Party Authorized To Apply Mark: Same as Manufacturer
Report Issuing Office: Intertek Testing Services Shanghai

Control Number: 5000858

Authorized by: 
for Dean Davidson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

Standard(s):	Flat-Plate Photovoltaic Modules And Panels [UL 1703:2002 Ed.3+R:10Mar2017] ULC ORD C1703 Issued: 2001/08/01 Flat Plate Photovoltaic Modules and Panels; Amd. 1: 2001
Product:	Crystalline Silicon Photovoltaic Module
Brand Name:	ASEC, GTEC

Models:

ASEC- followed by 140, 145, 150, 155 or 160; followed by G6S66.
 ASEC- followed by 190, 195, 200, 205, 210, 215 or 220; followed by G6S68.
 ASEC- followed by 210, 215, 220, 225, 230, 235, 240 or 245; followed by G6S69.
 ASEC- followed by 230, 235, 240, 245, 250, 255, 260, 265 or 270; followed by G6S6A.
 ASEC- followed by 260, 265, 270, 275, 280, 285, 290 or 295; followed by G6S6B.
 ASEC- followed by 280, 285, 290, 295, 300, 305, 310, 315, 320 or 325; followed by G6S.
 ASEC- followed by 140, 145, 150, 155, 160 or 165; followed by G6M66.
 ASEC- followed by 190, 195, 200, 205, 210, 215, 220 or 225; followed by G6M68.
 ASEC- followed by 210, 215, 220, 225, 230, 235, 240, 245 or 250; followed by G6M69.
 ASEC- followed by 230, 235, 240, 245, 250, 255, 260, 265, 270, 275 or 280; followed by G6M6A.
 ASEC- followed by 260, 265, 270, 275, 280, 285, 290, 295, 300 or 305; followed by G6M6B.
 ASEC- followed by 280, 285, 290, 295, 300, 305, 310, 315, 320, 325 or 330; followed by G6M.
 GTEC- followed by 140, 145, 150, 155 or 160; followed by G6S66.
 GTEC- followed by 190, 195, 200, 205, 210, 215 or 220; followed by G6S68.
 GTEC- followed by 210, 215, 220, 225, 230, 235, 240 or 245; followed by G6S69.
 GTEC- followed by 230, 235, 240, 245, 250, 255, 260, 265 or 270; followed by G6S6A.
 GTEC- followed by 260, 265, 270, 275, 280, 285, 290 or 295; followed by G6S6B.
 GTEC- followed by 280, 285, 290, 295, 300, 305, 310, 315, 320 or 325; followed by G6S.
 GTEC- followed by 140, 145, 150, 155, 160 or 165; followed by G6M66.
 GTEC- followed by 190, 195, 200, 205, 210, 215, 220 or 225; followed by G6M68.
 GTEC- followed by 210, 215, 220, 225, 230, 235, 240, 245 or 250; followed by G6M69.
 GTEC- followed by 230, 235, 240, 245, 250, 255, 260, 265, 270, 275 or 280; followed by G6M6A.
 GTEC- followed by 260, 265, 270, 275, 280, 285, 290, 295, 300 or 305; followed by G6M6B.
 GTEC- followed by 280, 285, 290, 295, 300, 305, 310, 315, 320, 325 or 330; followed by G6M.